

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Bacteriostatic Water

Tested for: Anointed Labz

www.anointedlabz.com

COA #: COA-2026-MFJA1R
Lot Number: A3S-260522
Vial Size: 3mL

Analysis Date: 06/19/2026
Appearance: Good
Date Received: 06/05/2026

Method: HPLC+, Water Analysis

PASS




Scan to verify
authenticity at ils-lab.com
Access Code: DM7WHJ72

Identity	Peptide Purity	Fentanyl Free
Bacteriostatic Water	99.79%	

HPLC+

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.79%	%	PASS
Identity (HPLC-RTM)	Benzyl alcohol	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS




Bacteriostatic Water - A3S-260522

Water Analysis

Analyte	Specification	Result	Unit	Status
pH	4.5 - 7.0	6.9	pH	PASS
Benzyl Alcohol	0.8% - 1.0%	0.855	%	PASS

HPLC Chromatogram



Bacteriostatic Water - A3S-260522: UV Chromatogram

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	NMT 0.05 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

- Date Tested: 06/19/2026. Methods: HPLC+, Water Analysis.
- The sample was confirmed to be Bacteriostatic Water by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
6/19/2026

COA #: COA-2026-MFJA1R
Access Code: DM7WHJ72
Verify: lab.ils-lab.com
Issued: 6/19/2026